



What is claimed is:

A method of treating diabetes in an animal,

said method comprising administering to said animal a therapeutically effective amount of conjugated linoleic acid.

30

2. The method of claim 1, wherein said conjugated linoleic acid is administered orally.

10

- 3. The method of claim 2, wherein said conjugated linoleic acid is administered in a unit dosage form.
- 15 4. The method of claim 3, wherein said unit dosage form is a food product.
- 5. The method of claim 1, wherein said conjugated linoleic acid is selected from the group consisting of 9,11-octadecadienoic acid, esters thereof, geometric isomers thereof, salts thereof and mixtures thereof.
- 6. The method of claim 5, wherein said geometric isomers have configurations selected from the group consisting of trans, trans; cis, cis; trans, cis; and cis, trans.
- 7. The method of claim 1, wherein said conjugated linoleic acid is selected from the group consisting of 10,12-octadecadienoic acid, esters

15

20

25

5

thereof, geometric isomers thereof, salts thereof and mixtures thereof.

- 8. The method of claim 7, wherein said geometric isomers have configurations selected from the group consisting of trans, trans; cis, cis; trans, cis; and cis, trans.
- 9. The method of claim 1, wherein said CLA is comprised predominantly of cis, trans-9,11-octadecadienoic acid and trans, cis-9,11-octadecadienoic acid.
- 10. The method of claim 1, wherein said CLA is comprised predominantly of cis, cis-9,11-octadecadienoic acid.
- 11. The method of claim 1, wherein said conjugated linoleic acid is administered in an amount of about 1 mg of said conjugated linoleic acid/kg body weight to about 10,000 mg of said conjugated linoleic acid/kg body weight.
- 12. The method of claim 1, wherein said animal is a mammal.
- 13. The method of claim 12, wherein said mammal is a human.
- 14. The method of claim 1, wherein said 30 conjugated linoleic acid is administered in a pharmaceutically acceptable carrier medium.



32

15. The method of claim 14, wherein said pharmaceutically acceptable carrier medium includes water.

5

16. A food composition useful in treating diabetes comprising, a food product having a therapeutically effective amount of conjugated linoleic acid, said conjugated linoleic acid predominantly comprised of a mixture of cis, trans-9,11-octadecadienoic acid and trans, cis-9,11-octadecadienoic acid.

15

10

17. The food composition of claim 16, wherein said therapeutically effective amount of said mixture is sufficient to provide about 1 mg of said mixture/kg body weight per serving to about 10,000 mg of said mixture/kg body weight per serving.

20

18. A food composition useful in treating diabetes comprising, a food product having a therapeutically effective amount of conjugated linoleic acid, said conjugated linoleic acid predominantly comprised of cis, cis-9,11-octadecadienoic acid.

5

10

15



- 19. The food composition of claim 18, wherein said conjugated linoleic acid is administered in an amount sufficient to provide about 1 mg of said cis, cis-9, 11-octadecadienoic acid/kg body weight per serving to about 10,000 mg of said cis, cis-9, 11-octadecadienoic acid/kg body weight per serving.
- 20. A food composition useful in treating diabetes comprising, a food product having a therapeutically effective amount of conjugated linoleic acid, said conjugated linoleic acid predominantly comprised of trans, cis-10, 12-octadecadienoic acid.
- 21. The food composition of claim 20, wherein said conjugated linoleic acid is administered in an amount sufficient to provide about 1 mg of said trans, cis-10,12-octadecadienoic acid/kg body weight per serving to about 10,000 mg of said trans, cis-10,12-octadecadienoic acid/kg body weight per serving.

